



6830ZZ Bearing 2D drawings and 3D CAD models

150,000 mm x 190,000 mm x 20,000 mm NTN
6830ZZ deep groove ball bearings

Bearing No. 6830ZZ

Size	150x190x20 mm
Bore Diameter	150,000 mm
Outer Diameter	190,000 mm
Width	20,000 mm
d	150,000 mm
D	190,000 mm
B	20,000 mm
C	20,000 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	1.122
EAN	4547359586428
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	150MM Bore; 190MM



	Outside Diameter; 20MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	6830ZZ/2AS
Weight / LBS	2.475
Outside Diameter	7.48 Inch 190 Millimeter
Bore	5.906 Inch 150 Millimeter
Outer Race Width	0.787 Inch 20 Millimeter
bore diameter:	150 mm
precision rating:	ISO Class 0
outside diameter:	190 mm
finish/coating:	Uncoated
overall width:	20 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Shielded
inner ring width:	20 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	20 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	3100 rpm
internal clearance:	CN
fillet radius:	1.1 mm



LUOYANG MONTON BEARING SCIENCE & TECH...

operating temperature range:	-40 to 120 ° C
maximum rpm:	3100 RPM
dynamic load capacity:	47500 N
series:	68
static load capacity:	55000 N
manufacturer product page:	Click here